

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

HEALTH

0

REACTIVITY

0

FLAMMABILITY

0

PERSONAL PROTECTION

NO

Identity (As Used on Label and List)
Clean Plus Formula III

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's Name
Clean Plus, Inc.

Emergency Telephone Number
507-527-2233

Address (Number, Street, City, State, and ZIP Code)
138 E. Main Street

Telephone Number for Information
800-752-4622

PO Box 678

Date Prepared
1-29-02

West Concord, MN 55985

Signature of Preparer (Optional)

SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	CAS No.	OSHA PEL	ACGIH-TLV	Other Limits Recommended	%(Opt.)
Aliphatic Hydrocarbon	64742-48-9	None	Established	300ppm (manuf.)	<25
Dibasic Ester	Mixture	None	Established	1.5ppmTWA(manuf.)	<30

Also contains low levels of crytalline silica NOT in a free form (respirable).

This product does not contain substance(s) subject to Section 313 of SARA Title III and 40 CFR 372.

SECTION III Physical/Chemical Characteristics

Boiling Point	354-437 F	Specific Gravity (H₂O = 1)	>1
Vapor Pressure	Not Determined	Melting Point	Not Applicable
Vapor Density (AIR = 1)	>1	Evaporation Rate (Butyl Acetate = 1)	<1
Solubility in Water	Dispersible	pH	

Appearance and Odor - White, heavy viscosity past, mild odor.

SECTION IV - Fire and Explosion Hazard Data

Flash Point (Method Used) Above 120 F TCC	Flammable Limits	LEL N.E.	UEL N.E.
---	-------------------------	--------------------	--------------------

Extinguishing Media - Foam, water spray, carbon dioxide

Special Fire Fighting Procedures - None

Unusual Fire and Explosion Hazards - None known

January 1, 1999

SECTION V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	x	

Incompatibility (Materials to Avoid) - Avoid contact with strong oxidizing agents.

Hazardous Decomposition or Byproducts - Carbon dioxide and carbon monoxide on combustion

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	x	

SECTION VI - Health Hazard Data

Route(s) of Entry	Eyes? x	Inhalation?	Skin?	Ingestion? x
--------------------------	----------------	--------------------	--------------	---------------------

Health Hazards (Acute and Chronic) - eye contact may cause irritation. Excessive skin contact may cause irritation. May be harmful (aspiration pneumonitis) if swallowed in large amounts.

Carcinogenicity: Not Listed (see section I for silica notice)	NTP?	IARC Monographs?	OSHA Regulated?
--	-------------	-------------------------	------------------------

Signs and Symptoms of Exposure - No chronic health effects known. Excessive skin contact may cause dermatitis.

Medical Conditions Generally Aggravated by Exposure - None Known

Emergency and First Aid Procedures: In case of eye contact, flush eyes with running water for 15 minutes. Obtain medical aid.
Eyes swallowed, do not induce vomiting. Give two glasses of water. Call a physician
Ingestion immediately.
Inhalation
Skin

SECTION VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled - Return to suitable container, if necessary. Hold for disposal.

Waste Disposal Method - In accordance with all existing ordinances.

Precautions to be Taken in Handling and Storing - Normal care in handling and storage.

Other Precautions - Keep out of reach of children.

SECTION VIII - Control Measures

Respiratory Protection (Specify Type) - Not required

Ventilation	Local Exhaust -	Not required	Special Other	Not required
	Mechanical (General) -	Sufficient		Not required

Protective Gloves - Not required **Eye Protection** - Not required

Other Protective Clothing or Equipment - Not required

Work/Hygienic Practices - Avoid eye contact

WARNING! The use of this product is beyond the control of the manufacturer; therefore, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The user must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. The manufacturer warrants only that this product meets the manufacturer's specifications for such product. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS, OR ANY OTHER MATTER, OF THIS PRODUCT. THE MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT. The sole and exclusive remedy against the manufacturer for breach of warranty shall be reimbursement of the purchase price of the product in the event that a defective condition of the product shall be found to exist. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE.